


KAOLIN® X TAUBMANS®






Drifting Cloud


The 2024 EQUILIBRIUM colour palette

Creamy Chocolate

















A **centered** neutral colour that creates a **33** serene cohesive palette, a canvas for your **4** own sense of perfection A growing call of nature runs deep within, a need to interact, surround ourselves and seek connection with other forms of **life**. This earthy clay colour is fun, playful and a touch spicy with a **euphoric** spirit. In design it is established and dependable.











Deep Water

PAINT BY KAOLIN X TAUBMANS



05



Specifications: 750*1500mm

PAINT Drifting Cloud

Drifting Cloud has been painted with shadows of white in its textured strokes. Offering the designer an opportunity to play with light and earthy tones in a minimalist fashion.

Created in collaboration with Taubmans 2024 colour forecast. Our product captures the charming brush stroke and quiet elegant matte texture of each colour.

06





Specifications: 750*1500mm

PAINT Footpath

Allow the fresh foundation of moss-green tones of Footpath to engage the design with a sense of natural calm and rejuvenation. Building on that sense of vitality in any space.

Created in collaboration with Taubmans 2024 colour forecast. Our product captures the charming brush stroke and quiet elegant matte texture of each colour.

10





Paint Footpath 750*1500mm



PAINT BY KAOLIN X TAUBMANS

Indulge in the indulgent and sumptuous sensation of our Creamy Chocolate paint, where every brush stroke effortlessly blends to create warm, inviting flesh tones that inspire the soul.

Created in collaboration with Taubmans 2024 colour forecast. Our product captures the charming brush stroke and quiet elegant matte texture of each colour.



13

PAINT Creamy Chocolate

Specifications: \vee 750*1500mm Texture Matte 9mm \wedge





PAINT BY KAOLIN X TAUBMANS



19

Created in collaboration with Taubmans 2024 colour forecast. Our product captures the charming brush stroke and quiet elegant matte texture of each colour.

PAINT News Print

News Print inspires equilibrium, as neutral grays and light brush strokes blend with hints of cool white to balance the heavier shades of surrounding materials.

> 20

Specifications: - \vee 750*1500mm Texture Matte 9mm \wedge





25

PAINT Mink Scorpio

Mink Scorpio is a warm wash of light gray undertone. This tile sets the composition of neutrality and brings a sense of purity and serenity to any space.

Created in collaboration with Taubmans 2024 colour forecast. Our product captures the charming brush stroke and quiet elegant matte texture of each colour.










29

PAINT Albion Park

A forest green with deep inflexions of Albion Park resulting in a secure grounding colour that generously fills the room with meaningful life.

Created in collaboration with Taubmans 2024 colour forecast. Our product captures the charming brush stroke and quiet elegant matte texture of each colour.










PAINT Nutmeg

35

Let Nutmeg's earthly clay tone bring a sense of grounding to terra firma in both indoor and outdoor spaces, transforming it into a warm and welcoming environment.

Created in collaboration with Taubmans 2024 colour forecast. Our product captures the charming brush stroke and quiet elegant matte texture of each colour.

Specifications: 750*1500mm





39

PAINT Deep Water

Deep Water holds the mysteries of the sea, with the ebb and flow of the texture this colour's form and function is one of power.

Created in collaboration with Taubmans 2024 colour forecast. Our product captures the charming brush stroke and quiet elegant matte texture of each colour.

Specifications: 750*1500mm





Technical Characteristics

	Test Description	International Standard ISO13006	Kaolin Tiles Specifications
\bigotimes	Length and Width The deviation of the average size for each tile from the work size	±0.6%	Length 0 ~ +0.02% Width +0.02 ~ +0.06%
$\stackrel{\downarrow}{}$	Thickness The deviation of the average size for each tile from the work size	±5%	+0.5 ~ +2.7%
	Straightness of Sides	±0.5%	-0.04 ~ +0.03%
	Rectangularity	±0.5%	-0.03 ~ +0.04%
	Surface Flatness	Convexity ≤ 2.0mm Concave ≤ 2.0mm	Convexity 0.4mm Concave 0.3mm
	Surface Quality	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.	Conformed
(X)	Water Absorption	Average Maximum 0.5% Individual Maximum 0.6%	Average Maximum 0.04% Individual Maximum 0.03~0.06%
	Breaking Strength	When the thickness ≥ 7.5mm, the mean value shall not be less than 1300N	2746N (for size 600*1200mm) 3286N (for size 900*1800mm)
	Modulus of Rupture	Average Maximum 35MPa Individual Maximum 32MPa	Average Maximum 42MPa Individual Maximum 40 - 43MPa
J.	Crazing Resistance	No crazing or peeling on the glazed surface after the crazing test.	Conformed
	Frost Resistance	No crack or peeling after the frost test	Conformed
ers,	Resistance to Staining	Minimum Class 3	Class 5
	Static Coefficient of Friction	Individual ≥ 0.50	Dry 0.65 ~ 0.68
<u>ß</u>	Resistance to Household Chemicals & Swimming Pool Salts	Minimum GB	Class GA
	Resistance to Low Concentrations of Acids and Alkalis	Manufacturer to state classification	Class GLA
	Surface Abrasion	Report abrasion class and cycles passed	1500 Cycles Class 3
	Coefficient of Linear Thermal Expansion	Report the coefficient of linear thermal expansion	6.8 X 10 ⁻⁶ ⊠ ⁻¹

	Test Description	International Standard ISO13006	Kaolin Ceramics Specifications
	Impact Resistance	Report the average resiliency coefficient	0.86
	Moisture Expansion	Report the test result after test	< 0.01%
<u></u>	Anti-slip Properties	According to DIN 51130:2014	14.1° R10
	Mohs' Hardness	According to JC/T 872-2000	5

*Notes: Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended. This is a general technical specification for our tiles. For specific products, please enquire.

KAOLIN[®]

GREEN CERTIFIED

All our products have achieved Level A GreenRate from Global GreenTag. We provide the Australia's most comprehensive Green Certified porcelain tile range, making Green Buildings more achievable.





+61 2 8814 9447 info@kaolin.com.au

Kaolin Tiles Gallery 4/33 Maddox Street, Alexandria NSW 2015

KAOLIN.COM.AU